

RECEIVED  
CENTRAL FAX CENTER

Appln. No. 10/624,857  
Amendment dated February 14, 2008  
Reply to Office Action mailed November 14, 2007

FEB 14 2008

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims** (deleted text being struck through and added text being underlined):

1. (Currently Amended) A computerized method for authenticating a diagnostic code, the method comprising:  
~~receiving a diagnostic code generated by a computer system for a component of [[a]] the computer system; and~~  
~~generating an authentication code associated for the generated diagnostic code; and~~  
~~associating the authenticating code with the diagnostic code for the component of the computer system.~~
2. (Original) The computerized method of claim 1 wherein generating the authentication code comprises encoding a date value into the authentication code.
3. (Original) The computerized method of claim 1 wherein generating the authentication code comprises encoding a serial number into the authentication code.
4. (Original) The method of claim 3 wherein the serial number is a computer system serial number.
5. (Original) The method of claim 3 wherein the serial number is a serial number for a hardware component of a computer system.
6. (Original) The method of claim 1 further comprising receiving a file of valid authentication codes and wherein generating the authentication code comprises selecting the authentication code from the file of valid authentication codes.

Appln. No. 10/624,857  
Amendment dated February 14, 2008  
Reply to Office Action mailed November 14, 2007

7. (Original) The method of claim 6, wherein the authentication code is selected according to a date.

8. (Original) The method of claim 1, wherein generating the authentication code comprises receiving the authentication code from a server.

9. (Currently Amended) A computerized system for authenticating a diagnostic code, the system comprising:

a diagnostic module on a computer system operable to perform a diagnostic on a component of [[[a]]] the computer system and to produce generate a diagnostic code by the performance of the diagnostic; and

an authentication code generation module on the computer system operable to generate an authentication code associated with the diagnostic code in response to the generation of the diagnostic code by the diagnostic module.

10. (Original) The system of claim 9, wherein the authentication code generation module is further operable to retrieve a serial number and encode the serial number into the authentication code.

11. (Original) The system of claim 10 wherein the serial number is associated with a computer system.

12. (Original) The system of claim 10 wherein the serial number is associated with a component of a computer system.

13. (Original) The system of claim 9 wherein the authentication code generation module is further operable to encode a current time into the authentication code.

Appln. No. 10/624,857  
Amendment dated February 14, 2008  
Reply to Office Action mailed November 14, 2007

14. (Original) The system of claim 9 wherein the authentication code generation module is further operable to obtain the authentication code from an authentication code server.

15. (Currently Amended) A computer-readable medium having computer executable instructions for performing a method for authenticating a diagnostic code, the method comprising:

receiving a diagnostic code generated by a computer system for a component of [[a]] the computer system; and

generating an authentication code associated in response to receiving the diagnostic code; and

associating the authentication code with the diagnostic code.

16. (Original) The computer-readable medium of claim 15, wherein generating the authentication code comprises encoding a date value into the authentication code.

17. (Original) The computer-readable medium of claim 15, wherein generating the authentication code comprises encoding a serial number into the authentication code.

18. (Original) The computer-readable medium of claim 17, wherein the serial number is a computer system serial number.

19. (Original) The computer-readable medium of claim 17, wherein the serial number is a serial number for a hardware component of a computer system.

20. (Original) The computer-readable medium of claim 15, wherein the method further comprises receiving a file of valid authentication codes and wherein generating the authentication code comprises selecting the authentication code from the file of valid authentication codes.

Appln. No. 10/624,857  
Amendment dated February 14, 2008  
Reply to Office Action mailed November 14, 2007

21. (Original) The computer-readable medium of claim 20, wherein the authentication code is selected according to a date.

22. (Original) The computer-readable medium of claim 15, wherein generating the authentication code comprises receiving the authentication code from a server.

23. (Previously Presented) The computerized method of claim 1 wherein the generating of the authentication code is performed after the receiving of the diagnostic code.

24. (Previously Presented) The computerized method of claim 1 wherein the authentication code generated is unique to the diagnostic code received.

25. (Previously Presented) The computerized method of claim 1 wherein a user is incapable of generating the authentication code.

26. (Previously Presented) The computerized method of claim 1 wherein the authenticating code is generated without user intervention.

27. (Previously Presented) The computerized method of claim 1 wherein the authentication code is generated by the computer system.

28. (Previously Presented) The computerized method of claim 1 additionally comprising requesting an authentication code by the computer system after receiving the diagnostic code.

29. (Previously Presented) The computerized method of claim 1 wherein generating the authentication code is performed in response to receiving the diagnostic code.